

# **Department of Defense Standardization Program**



## **ASSIST UPDATE**

**(A bi-monthly summary of changes to the ASSIST document database)**

**15 November 2009**

**(For the Period 1 November 2009 to 14 November 2009)**

## ASSIST UPDATE

Documents listed in the ASSIST UPDATE have an indicator of “N” or “M” to describe the last action taken on a listed document.

“N” indicates that a “new” document has been entered into the ASSIST database.

“M” indicates that a document already in ASSIST has been “modified” in some way.

The ASSIST UPDATE is published twice a month and provides a summary of changes to Department of Defense standardization documents for the period indicated. Since changes are processed to the ASSIST database on a daily basis, users should consult the ASSIST web site at <http://assist.daps.dla.mil> for the most current information.

If you need to track changes more frequently, or if you have an interest in specific Federal Supply Classes or individual specifications, standards, or other standardization documents, you may wish to take advantage of the ASSIST Alert Service. This feature lets you establish a list of documents of interest to you, and then the ASSIST will alert you with an E-mail message each day there is a change to one or more documents of interest to you. There is no charge for this service; however, you must have an ASSIST user account. To obtain one, complete the ASSIST online registration form at <http://assist.daps.dla.mil/online/registration/registration.cfm>.

Once you have your account, you can establish your Alert Portal profile. For more information on the ASSIST Alert Service, go to: <http://assist.daps.dla.mil/online/news/AlertService.htm>.

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION	DOCUMENT NUMBER	DOCUMENT TITLE	DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
M	MIL-DTL-46281G(1)	Cartridge, 7.62 Millimeter, NATO, Tracer - M62 [CUST: AR OS 99] [REVIEW: 40 70 AS FAS MC MR NP]	D	1305		AR	05-NOV-2009
M	MIL-DTL-70678A	Case, Projectile Burster - M216 [CUST: AR OS 70] [REVIEW: 99 MC NP]	D	1310		AR	19-OCT-2009
N	MIL-DTL-32336	Cap, Blasting, Non-Electric, 30 Foot Shock Tube - M11 [CUST: AR]	D	1375		AR	01-OCT-2009
M	MIL-DTL-19264C	Propellant, BS-Naco, for the MK 65 Clearing Charge and MK 67 Propelling Charge [CUST: OS]	A	1376		OS	23-OCT-2009
N	MIL-STD-3029	Hot Gun Cook-Off Hazards Assessment, Test and Analysis [CUST: AR SH 99] [REVIEW: 70 FAS MC MR NP OS]	A	1395		SH	23-JUL-2009
M	MIL-PRF-62625B	Valve, Fuel-Drain [CUST: AT]	A	2910		AT	06-NOV-2009
M	A-A-59686 NOT 1	Preheater, Engine Coolant, Diesel-Fired, 24-Volt DC [CUST: AT]	A	2990	/	AT	04-NOV-2009
M	MIL-DTL-23554E	Washer-Extractor, Laundry, 16- to 20- Pound Capacity (Submarine Service) [CUST: SH]	A	3510		SH	05-NOV-2009
N	A-A-59842	Belay Device, Mountaineering [CUST: GL MC CT]	A	4240	/	CT	04-NOV-2009
N	A-A-59843	Axe, Ice [CUST: GL MC CT]	A	4240	/	CT	04-NOV-2009
N	QPL-32330-1	Hose Assembly, Conductive Polytetrafluoroethylene Tube, Smooth Bore, Flared and Flareless, Tube to Hose, with Swivel Nut, General Specification for	A	4720		CC	30-OCT-2009
M	MS27626B	Nipple, Flared, Tube to Hose-Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27627B	Elbow, Flared, Tube to Hose, 90 Degrees, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27628B	Elbow, Flared, Tube to Hose, 45 Degrees, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27629B	Adapter Assembly, Flareless, Straight, Tube to Hose-with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27630B	Adapter Assembly, Flareless, 45 Degrees Elbow, Tube to Hose-with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27631B	Adapter Assembly, Flareless, 90 Degrees Elbow, Tube to Hose-with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27632B	Nipple Sub Assembly, Flareless, Straight-with Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27633B	Elbow Sub Assembly, Flareless, 45 Degrees, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27634B	Elbow Sub Assembly, Flareless, 90 Degrees, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27635C	Nipple, Flareless, Tube to Hose, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27636B	Elbow, Flareless, Tube to Hose, 90 Degrees, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27637C	Elbow, Flareless, Tube to Hose, 45 Degrees, Swivel Nut [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27638E	Mandrel Sleeve Setting [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	MS27639B	Disassembly Tool [CUST: AV AS 99 CC] [REVIEW: 71 MC SA]	A	4730		CC	22-OCT-2009
M	A-A-55617C	Caster, Industrial, Medium Duty [CUST: AR AS 99 IS] [REVIEW: MI]	A	5340	/	IS	02-NOV-2009
M	A-A-55618E	Caster, Swivel, Kingpinless Industrial, Heavy Duty with Towing Application [CUST: AS 99 IS]	A	5340	/	IS	02-NOV-2009
M	A-A-55619C	Caster, Industrial, Heavy Duty [CUST: AR AS 99 IS] [REVIEW: MI]	A	5340	/	IS	02-NOV-2009
M	QPL-55342-104	Resistors, Chip, Fixed, Film, Nonestablished Reliability, Established Reliability, Space Level, General Specification For	A	5905		CR	03-NOV-2009
M	MIL-PRF-39003/1K	Capacitor, Fixed, Electrolytic (Solid Electrolyte), Tantalum, (Polarized, Sintered Slug), Established Reliability, Style CSR13 [CUST: CR EC 85 CC] [REVIEW: 19 99 AS MC OS SH]	A	5910		CC	10-NOV-2009
M	MIL-DTL-28840/2E	Connector Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Clamps, Strain Relief, 90 Degrees, Open, for Electrical Connectors [CUST: EC CC] [REVIEW: OS SH YD]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/3E	Connector Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Clamps, Strain Relief, 45 Degrees, Open, for Electrical Connectors [CUST: EC CC] [REVIEW: OS SH YD]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/6D	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, Straight, Cable Sealing and Shield Termination, Connector, Electric [CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/7D	Connectors, Electrical, Circular, Screw Threads, High Shock, High Density, Shipboard, Crimp Contacts, Dummy Receptacle, Wall Mounting [CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/9F	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Backshell, 45 Degrees, Cable Sealing and Shield Termination [CUST: EC CC]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/10D	Connectors, Electrical, Circular, Screw Threads, High Density, High Shock, Shipboard, Crimp Contacts, Receptacle, Wall Mounting, Classes D, DS, P, T, and Z [CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/11C	Connectors, Electrical, Circular, Screw Threads, High Density, High Shock, Shipboard, Crimp Contacts, Receptacle, Cable Connecting, Classes D, DS, P, T, and Z [CUST: EC CC]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/12E	Connectors, Electrical, Screw Threads, High Density, High Shock, Shipboard, Crimp Contacts Receptacle, Box Mounting, Classes D, DS, P, T, and Z [CUST: EC CC]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/13E	Connector Accessories, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Cover, Receptacle [CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/14F	Connectors, Electrical, Circular, Screw Threads, High Shock, High Density, Shipboard, Crimp Contacts, Receptacle, Jam Nut Mounting, Classes D, DS, P, T and Z [CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/15D	Connectors, Electrical, Circular, Threaded, High Shock, High Density, Shipboard, Dust Cover, Plug [CUST: EC CC] [REVIEW: OS SH]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/16C	Connectors, Electrical, Circular, Screw Threads, High Density, High Shock, Shipboard, Crimp Contacts, Plug, Classes D, DS, P, T, and Z [CUST: EC CC]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/17D	Connectors, Electrical, Circular, Screw Threads, High Density, High Shock, Shipboard, Crimp Contacts, Plug Assembly, Open Wire, Classes D, DS, P, T, and Z [CUST: EC CC]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/18D	Connectors, Electrical, Circular, Screw Threads, High Density, High Shock, Shipboard, Crimp Contacts, Plug Assembly, Open Wire, 90 Degrees, Classes D, DS, P, T, and Z [CUST: EC CC]	A	5935		CC	23-OCT-2009
M	MIL-DTL-28840/19D	Connectors, Electrical, Circular, Screw Threads, High Density, High Shock, Shipboard, Crimp Contacts, Plug Assembly, Open Wire, 45 degrees, Classes D, DS, P, T, and Z [CUST: EC CC]	A	5935		CC	23-OCT-2009
M	MIL-PRF-28750E SUP 1	Relays, Solid State, General Specification for [CUST: CR EC 85 CC] [REVIEW: MI NA OS]	A	5945		CC	02-NOV-2009

## ACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-27/47C	Transformers, Power, 25 Volt Amperes, 400 HZ Electrostatic Shielded [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS]	A	5950		CC	09-NOV-2009
M	MIL-PRF-27/79A	Transformers, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	09-NOV-2009
M	MIL-PRF-27/103E	Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC MI OS SH]	A	5950		CC	09-NOV-2009
M	MIL-PRF-27/134B	Transformer, Power, Step-Down [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950		CC	09-NOV-2009
M	MIL-M-38510/57F NOT 1	Microcircuits, Digital, CMOS, Static Shift Register, Monolithic Silicon, Positive Logic [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962		CC	04-NOV-2009
N	SAE-AS85049/140	Connector Accessories, Electrical Boots, Heat-Shrinkable, Straight, Category 9 [CUST: AS]	A	5970		AS	03-NOV-2009
N	SAE-AS85049/141	Connector Accessories, Electrical Boots, Heat-Shrinkable, 90 Degrees, Category 9 [CUST: AS]	A	5970		AS	03-NOV-2009
N	A-A-59844	Direct Current (DC) Power Supply [CUST: 99]	A	6625	/	84	05-NOV-2009
M	MIL-DTL-3628/41F	Badge, Qualification, Marine Corps, Pistol Competition [CUST: IH MC] [REVIEW: CT]	A	8455		IH	10-NOV-2009
M	MIL-DTL-3628/231A	Badge, Qualification, Beret, Survival, Evasion, Resistance and Escape, Air Force [CUST: IH 11] [REVIEW: CT]	A	8455		IH	15-NOV-2009
M	MIL-DTL-15665/106B	Insignia, Branch of Service, Officer, Logistics, Army [CUST: IH] [REVIEW: CT]	A	8455		IH	20-NOV-2009
M	MIL-PRF-23653D	Plastic Tiles, Vibration Damping [CUST: SH GS] [REVIEW: IS]	A	9330		SH	05-NOV-2009
M	QPL-83054-7 NOT 1	Baffle and Inerting Material, Aircraft Fuel Tank (Replaced by the Qualified Products Database (QPD) see Notice for Additional Information)	A	9330		84	03-NOV-2009
N	DI-FNCL-81788	Contract Cost Report for Avails Greater Than 12 Weeks [AMSC: N9104]	A	FNCL		SH	26-OCT-2009
N	DI-FNCL-81789	Cost Contract Continuous Maintenance and Emergent Work [AMSC: N9105]	A	FNCL		SH	26-OCT-2009
N	DI-MGMT-81786	Work Specification Report [AMSC: N9102]	A	MGMT		SH	26-OCT-2009
N	DI-MGMT-81790	Emergent Work Item Specification [AMSC: N9106]	A	MGMT		SH	26-OCT-2009
N	DI-MGMT-81791	Key Events Schedule [AMSC: N9107]	A	MGMT		SH	26-OCT-2009
N	DI-MGMT-81792	Liaison Action Request [AMSC: N9108]	A	MGMT		SH	26-OCT-2009
N	DI-MGMT-81793	Request Contract Change (RCC) Report [AMSC: N9109]	A	MGMT		SH	26-OCT-2009

## INACTIVE SECTION

## ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	MIL-PRF-62259B NOT 1	Radiator: Engine Coolant [CUST: AT MC] [REVIEW: CC]	A	2930	AT		06-NOV-2009
M	MS35254C	Brace, Corner, Box 3 Quarter-Round Flanges, 3 Mounting Holes [CUST: CR YD 99 IS]	A	5340	IS		10-NOV-2009
M	MS35257C	Brace, Corner, Box, Large, 2 Quarter-Ellipse Flanges, 2 Mounting Holes [CUST: CR YD 99 IS]	A	5340	IS		10-NOV-2009
M	MIL-C-14522D(1) NOT 2	Components, Prefabricated Strong Room, Portable: for Small Arms and Equipment [CUST: GL 99 IS] [REVIEW: AV]	A	5450	IS		05-NOV-2009
M	MIL-T-27/9B	Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		09-NOV-2009
M	MIL-T-27/11B	Transformer, Audio Frequency [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC]	A	5950	CC		09-NOV-2009
M	MIL-T-27/149D	Transformer and Inductors (Audio, Power and High-Power Pulse), Inductors, Power [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950	CC		09-NOV-2009
M	MIL-T-27/160B	Transformer and Inductors (Audio, Power and High-Power Pulse), Induction, Power [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950	CC		09-NOV-2009
M	MIL-T-27/162B	Transformer and Inductors (Audio, Power and High-Power Pulse), Inductors, Audio Frequency, High Q [CUST: CR EC 85 CC] [REVIEW: 19 99 AS CR4 MC MI OS SH]	A	5950	CC		09-NOV-2009
M	MIL-T-27/185B	Transformer (Chopper Input) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS]	A	5950	CC		09-NOV-2009
M	MIL-T-27/189B	Transformers and Inductors (Audio, Power and High Power Pulse), Inductor, Power [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950	CC		09-NOV-2009
M	MIL-T-27/261B	Transformers and Inductors (Audio, Power, and High-Power Pulse) Inductors, Power (100 VA) [CUST: CR EC 85 CC] [REVIEW: 19 99 AR AS CR4 MC OS SH]	A	5950	CC		09-NOV-2009
M	MIL-M-38510/106B NOT 1	Microcircuits, Linear, Voltage Follower Operational Amplifiers, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD]	A	5962	CC		04-NOV-2009
M	MIL-M-38510/151B NOT 1	Microcircuits, Digital, Bipolar, TTL, Schmitt-Trigger Nand Gates, Monolithic Silicon [CUST: CR EC 85 CC NA] [REVIEW: 03 19 99 AS CG MC MI SH SM TD]	A	5962	CC		04-NOV-2009
M	MIL-M-38510/702A NOT 1	Microcircuits, Linear, Regulating Pulse Width Modulators, Monolithic Silicon [CUST: CR EC 85 CC] [REVIEW: 03 19 99 AS CG MI SH SM TD]	A	5962	CC		04-NOV-2009
M	MIL-DTL-51497A	Training Set, Chemical Agent Identification, Simulants, M72A1 [CUST: EA]	X	6910	EA		30-OCT-2009

CANCELED SECTION

ASSIST UPDATE

LAST ACTION			DISTRIBUTION	FSC/AREA	MCA	PREP ACTY	DATE
	DOCUMENT NUMBER	DOCUMENT TITLE					
M	A-A-59365 NOT 1	Washer-Extractor, Laundry, 16 to 20 Pound Capacity (Naval Shipboard) (S/S by MIL-DTL-23554) [CUST: SH]	A	3510	/	SH	05-NOV-2009
M	F-B-2903 NOT 2	Boilers, Steam and Hot Water, Firetube, Scotch Packaged Type (320,001 to 35,000,000 BTU/HR Thermal Output Capacity) (No S/S Document) [CUST: YD 99 CC] [REVIEW: 84 MC SA]	A	4410	/	CC	05-NOV-2009
M	QPL-AS604-17 NOT 2	Hose Assembly, Polytetrafluorethylene, Metallic Reinforced, 3000 PSI, 400 Degrees F, Lightweight, Hydraulic (See Notice 2 for Replacement Information)	A	4720		CC	04-NOV-2009
M	QPL-AS1339-30 NOT 2	Hose Assembly, Polytetrafluorethylene, Metallic Reinforced, 3000 PSI, 400 Degrees F, Lightweight, Hydraulic and Pneumatic (See Notice 2 for Replacement Information)	A	4720		CC	04-NOV-2009
M	ASTM-C99	Stone, Modulus of Rupture of Dimension (No S/S Document) [CUST: YD 99 IS] [REVIEW: MC]	A	5610		IS	05-NOV-2009
M	ASTM-C120	Slate, (Breaking Load, Modulus of Rupture, Modulus of Elasticity), Flexible Testing of (No S/S Document) [CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610		IS	05-NOV-2009
M	ASTM-C121	Slate, Water Absorption of (No S/S Document) [CUST: CR4 YD 99 IS] [REVIEW: 84 MC]	A	5610		IS	05-NOV-2009
M	ASTM-C97	Stone, Specific Gravity of Dimension, Absorption and Bulk (No S/S Document) [CUST: YD IS] [REVIEW: MC]	A	5620		IS	05-NOV-2009
M	A-A-55561B NOT 1	Fuse, Inclosed Link, Dual-Inline Package (DIP), or Surface Mount (SM), General Requirements for (No S/S Document) [CUST: EC CC]	A	5920	/	CC	05-NOV-2009
M	A-A-55561/1B NOT 1	Fuse, Inclosed Link, Dual-Inline Package (DIP), or Surface Mount (SM), Fast Acting (No S/S Document) [CUST: EC CC]	A	5920	/	CC	05-NOV-2009
M	A-A-55561/2B NOT 1	Fuse, Inclosed Link, Dual-Inline Package (DIP), or Surface Mount (SM), Slow Blowing (No S/S Document) [CUST: EC CC]	A	5920	/	CC	05-NOV-2009
M	A-A-59550B NOT 1	Fuse, Inclosed Link, Thin-Film, Surface Mount (SM), General Requirements for (No S/S Document) [CUST: EC CC]	A	5920	/	CC	05-NOV-2009
M	A-A-59550/1A NOT 1	Fuse, Inclosed Link, Thin-Film, Surface Mount (SM), 0603 Size, Very Fast Acting (No S/S Document) [CUST: EC CC]	A	5920	/	CC	05-NOV-2009
M	A-A-59550/2A NOT 1	Fuse, Inclosed Link, Thin-Film, Surface Mount (SM), 1206 Size, Very Fast Acting (No S/S Document) [CUST: EC CC]	A	5920	/	CC	05-NOV-2009
M	A-A-59550/3A NOT 1	Fuse, Inclosed Link, Thin-Film, Surface Mount (SM), 1206 Size, Time Delay (No S/S Document) [CUST: EC CC]	A	5920	/	CC	05-NOV-2009
M	SAE-AS31091	Boots, Heat-Shrinkable, Strain-Relief, Straight (S/S by SAE-AS85049/140) [CUST: AS]	A	5970		AS	03-NOV-2009
M	SAE-AS31171	Boots, Heat-Shrinkable, Strain Relief, Right Angle (S/S By SAE-AS85049/141) [CUST: AS]	A	5970		AS	03-NOV-2009
M	MIL-A-49314/1 NOT 3	Antenna, UHF SATCOM, Light Weight, Portable, Foldable AS-4215( )/G (No S/S Document) [CUST: CR EC CC]	A	5985		CC	05-NOV-2009
M	MIL-A-49314/2 NOT 3	Antenna, UHF SATCOM, Medium Weight, Portable, Foldable AS-4216( )/G (No S/S Document) [CUST: CR CC]	A	5985		CC	05-NOV-2009
M	MIL-A-49314/3 NOT 3	Antenna, UHF SATCOM, Heavy Duty, Portable, Foldable AS-4217( )/G (No S/S Document) [CUST: CR CC]	A	5985		CC	05-NOV-2009
M	MIL-A-49314/5 NOT 3	Antenna, UHF SATCOM, 14 DBIC Portable, Foldable AS-4219( )/G (No S/S Document) [CUST: CR CC]	A	5985		CC	05-NOV-2009
M	MIL-A-49314/6 NOT 3	Antenna, UHF SATCOM 9 DBIC Portable AS-4220( )/G (No S/S Document) [CUST: CR CC]	A	5985		CC	05-NOV-2009
M	MIL-C-87104/2 NOT 4	Coaxial Assemblies, TNC Type (0.03 TO 18 GHz) (No S/S Document) [CUST: 85 CC]	A	5985		CC	05-NOV-2009
M	MIL-C-83526/12 NOT 2	Connector, Fiber Optic, Circular, Hermaphroditic, In-Line Mounting, 2 Positions (No S/S Document) [CUST: CR CC]	A	6060		CC	16-NOV-2009
M	MIL-C-83526/13 NOT 2	Connector, Fiber Optic, Circular, Hermaphroditic, Bulkhead Mounting, 2 Positions (No S/S Document) [CUST: CR CC]	A	6060		CC	16-NOV-2009
M	MIL-C-83526/14 NOT 2	Connector, Fiber Optic, Circular, Hermaphroditic, Test Plug, 2 Positions (No S/S Document) [CUST: CR CC]	A	6060		CC	16-NOV-2009
M	MIL-C-83526/15 NOT 2	Connector, Fiber Optic, Circular, Hermaphroditic, Dust Cover, 2 Positions (No S/S Document) [CUST: CR CC]	A	6060		CC	16-NOV-2009
M	MIL-D-3945B NOT 2	Detector Kit; Carbon Monoxide, Colorimetric (No S/S Document) [CUST: EA MS 99] [REVIEW: DM MD]	A	6665		EA	10-NOV-2009
M	MIL-I-3948C(2) NOT 2	Indicator Tube, Carbon Monoxide (No S/S Document) [CUST: EA MS 99] [REVIEW: DM MD]	A	6665		EA	10-NOV-2009
M	ASTM-D2073	Total, Primary, Secondary, and Tertiary Amine Values of Fatty Amines, Amidoamines, and Diamines by Referee Potentiometric Method (No S/S Document) [CUST: MI SH 68] [REVIEW: GS]	A	6810		SH	05-NOV-2009
M	A-A-52287A NOT 2	Insecticide, Paradichlorobenzene (No S/S Document) [CUST: EA GS PM] [REVIEW: MD1]	A	6840	/	GS3	27-OCT-2009
M	MIL-D-83468 NOT 2	Digital Computational System for Real-Time Training Simulators (No S/S Document) [CUST: 11]	A	6930		11	02-NOV-2009
M	A-A-2886B NOT 1	Paint, Traffic, Solvent Based (See Notice 1 for Replacement Information) [CUST: FAS] [REVIEW: 84]	A	8010	*	FAS	01-OCT-2009
M	SAE-AMS-DTL-22499/4	Shim Stock, Laminated, Carbon Steel (No S/S Document) [CUST: MR AS IS]	A	9515		IS	05-NOV-2009
M	SAE-AMS-QQ-A-200/9	Aluminum Alloy 6063, Bar, Rod, Shapes, Tube, and Wire, Extruded (No S/S Document) [CUST: MR AS 11 IS]	A	9530		IS	05-NOV-2009
M	SAE-AMS-QQ-A-200/16	Aluminum Alloy, Structural Shapes, Extruded, 6061 (No S/S Document) [CUST: MR AS 11 IS]	A	9530		IS	05-NOV-2009
M	SAE-AMS-QQ-A-200/17	Aluminum Alloy 6162, Bar, Rod, Shapes, Tube, and Wire, Extruded (No S/S Document) [CUST: MR AS 11 IS]	A	9530		IS	05-NOV-2009